

AQUATIZ International (Singapore) Pte Ltd

Address:
10 sam leong road, Singapore 207902
Email:
Lucas@aquatiz-international.com
Contact No.:
+65 9467 7649

AQUATIZ International (Vietnam) Investment Company Limited

Address:
39 Võ Chí Công street, Nghĩa Đô Community, Cầu Giấy District. Hanoi
Email:
Kien@aquatiz-international.com
Contact No.:
+84 78 234 5888

AQUATIZ International (Malaysia) Sdn Bhd

Address:
A02-08, Emhub, Persiaran Surian, Kota Damansara, 47810 Petaling Jaya, Selangor. Malaysia.
Email:
la.tan@aquatiz-international.com
Contact No.:
+60 16-206 8266

PT AQUATIZ International Indonesia

Address:
Fiordini 2 no.92 IL LAGO, Gading Serpong, Kelapa Dua 15810, Banten-Indonesia
Email:
Hendry@aquatiz-international.com
Contact No.:
+62 813-8750-1206

www.aquatizint.com

AQUATIZ

PRODUCT CATALOG





**80+ COUNTRIES
WORLDWIDE COVERAGE**

Lifestyle • Art • Home

Art for Living, Great for Life

Since its launch, AQUATIZ has rapidly developed into a high-quality, large-scale brand. By 2023, AQUATIZ established a strategic presence in over 80 global regions. It has been adopted by millions of households and numerous hotels, public places, commercial complexes, and other projects.



Lifestyle

AQUATIZ's lifestyle is reflected in the details of the product, not only as a work of art but also as a practical tool for life, and the enhancement in texture of the details is the essence of highlighting the sense of class. AQUATIZ perfectly blends the beauty of art and technological functions, so that the product does not lose its splendor over time.


Art


AQUATIZ's design is artistic and aesthetic, in product design, space is considered. We believe that art can be integrated into daily life, each space is a stage to display personal taste and philosophy of life.

Home

AQUATIZ hopes to create products that are - ART (Art Aesthetic Temperament) + LIFE (Life Practical Functionalism) = HOME (Emotional Value in the Home Scene)
The consistency in product quality and aesthetic designs has made AQUATIZ an expert in the sanitary ware industry which lead to being favored by global users, becoming the choice for many landmark buildings, high-level hotels, high-end residences and excellent designers.

AQUATIZ Map | Intelligent





World-class Certifications Guaranteed Safety



CQC



WATER CONSERVATION



SIAA



CNAS



CUPC



NOM



IKRAM



EGS



FCC



UL



RCM



CUPI



ANQAS



CE



NF



WATERMARK



SABER



WATER EFFICIENCY



SNI



...

Enterprise Strength

300+
R&D Expertise

1800+
Valid Patents

80+
International Certificates

Smart Bidet Toilet

07

Remote Control



IPX5 Waterproof

User friendly for wet bathroom environment.

Longer Battery Life and High Quality

Built-in two AAA batteries for power supply, which can last up to half a year. Withstand 100,000+ times of repeated pressing to ensure the durability of the product.

1

Dual Cleansing

Patented dual cleansing technology

1ST siphonic flushing:

Remove the solid waste

2ND siphonic flushing:

Remove the residual in the bowl and ceramic pipe.



2

Top Heating Tube for Instant Warmth

High-quality heating tube heats in one second. Ceramic instant heating tube - even cold water. As low as 41°F can be heated to 95°F in one second, giving you the most intimate care in the cold winter.

3

Patented Arc-Shape Spray Wand

Keep away from dirt, the spray wand is not easy to stick to dirt.

More hygienic and more precise cleaning angle.



4

Multiple Cleaning Modes

Smart wash

- ✓ Wide and strong wash
- ✓ Multiple cleaning modes, rear / front / oscillating wash
- ✓ Self-cleaning and anti-bacterial nozzle
- ✓ Multi-directional, multi-mode cleaning, feel different washing experience.

5


Thermostatic Comfortable Seat

6-level seat temperature:

Precise temperature setting, choose the most suitable one according to the season.

3 temperature control safety protection:

Heat balance, prevent overheating or low temperature burns.



6

Soft and Warm Air Drying

- ✓ After cleaning, start the heating function
- ✓ 6-level air temperature adjustment can be carried out in the range of room temperature - 136.4°F
- ✓ Quick drying

08



CONTENTS

AQ

- 01 Company Profile
- 05 Enterprise Strength
- 07 Product Features
- 09 Contents

SMART BIDET TOILET

- 11 A / H / FA / F series
- 25 B / G series
- 33 Wall-hung Smart Toilet
- 37 Concealed Cistern Seires & Actuators
- 41 Smart Bidet Seat series

SENSOR SERIES

- 43 Fautces
 - Sensor Taps
- 47 Urinal Sensor
 - Water Closet Sensor

CONCEALED SHOWER

ELDERLY FRIENDLY BATHROOM



A series

Built-in tank smart toilets:

With water tank & pump to enable almost ZERO water pressure flushing performance

Tankless smart toilet:

The dynamic water pressure $\geq 0.08\text{MPa}$, the water flow rate ≥ 1.5 liters (in 10 seconds)

Optional remote control: VC392/VC331



High-end version
Optional:
Only applicable for models A60 / A60M / A21




Basic version: V330/V331

A series All-in one




Product	A60 / A60M
Dimension	702*407*496mm
Rough-in	305mm / 150mm / 240mm
Flushing Volume	6L(full) / 4.2L(half)
Heating Mode	Instant heating
Flushing Mode	Siphonic flushing
Power Supply	220V / 50HZ





Product **A7**
 Rear Lid PP+IML
 Display Type No display

Digital Display Type




Product **A6P**
 Rear Lid IML
 Display Type Digital display

Rear Lid



Product **A9CB**
 Rear Lid PP
 Display Type No display

Rear Lid



Product **A21**
 Rear Lid IML
 Display Type Digital display

Digital Display Type






H series All-in one



Product	H25-T
Dimension	702*410*475mm
Rough-in	305mm
Flushing Volume	6L(full) / 4.2L(half)
Heating Mode	Instant heating
Flushing Mode	Siphonic flushing
Power Supply	220V / 50HZ



H series

Built-in tank smart toilets:
With water tank & pump to enable almost ZERO water pressure flushing performance
Tankless smart toilet:
The dynamic water pressure $\geq 0.9\text{MPa}$, the water flow rate ≥ 2.5 liters (in 10 seconds)
Optional remote control: VC390



- Dual cleaning technology
- Digital display
- Auto opening
- Foot sensor opening
- Foot sensor flushing
- Seat heating
- Pre-wash
- Built-in toilet cleanser
- Patented arc-shape spray wand
- Oscillating washing/instant heating
- Warm movement air dryer
- Anti-siphon design
- Plasma sterilization
- Lightless photocatalyst deodorization
- Night light
- Remote control
- Off-seat auto flushing



Product **H25-T**
 Rear Lid ABS+PET+PP
 Display Type Digital display

Digital Display Type




- Dual cleaning technology
- Auto opening
- Foot sensor opening
- Foot sensor flushing
- Seat heating
- Pre-wash
- Patented arc-shape spray wand
- Oscillating washing/instant heating
- Warm air dryer
- Lightless photocatalyst deodorization
- Night light
- Remote control
- Off-seat auto flushing




Product **H59-T**
 Rear Lid PP
 Display Type Led display

LED Display Type



- Dual cleaning technology
- Auto opening
- Foot sensor opening
- Foot sensor flushing
- Seat heating
- Pre-wash
- Patented arc-shape spray wand
- Oscillating washing/instant heating
- Warm movement air dryer
- Plasma sterilization
- Lightless photocatalyst deodorization
- Night light
- Remote control
- Off-seat auto flushing






YA01 Wall-hung



Product	YA01
Dimension	570*380*434mm
Flushing Volume	6L(full) / 4.2L(half)
Heating Mode	Instant heating
Flushing Mode	Vortex flushing
Power Supply	220V / 50HZ



YA01

Wall-hung Smart Toilet

Wall-hung smart toilets
 Silent power, flawless flush
 Optional remote control: VC310(V7216) / VC350(YA01)






Product **V7216**
 Rear Lid PP
 Display Type No display

Rear Lid



Product **V7232**
 Rear Lid IML/Glass
 Display Type Digital display

Digital Display Type





37

Compatible Concealed Cistern & Actuators

Available in Various Finish

Concealed Cistern



38

Top & Front Actuators



G3005015



G3005012



G3005014



Front Actuators


*Gold is not applicable in Singapore



G3004137



G3100043(Glass)



G3004108




G3004138



G3100051(Acrylic)



G3004118(Stainless Steel)



G3004132




G3004131



Concealed Cistern

unit: mm



G3004 Concealed Cistern

For front mechanic actuation


For dry wall or solid wall installation

Flushing Volume: 6/4.1L (factory setting)

Working Pressure: 0.02MPa-0.8 Mpa

Temperature Range: 2 °C -45 °C

Cistern Material: HDPE



G3005 Concealed Cistern

For top and front mechanic actuation


For dry wall or solid wall installation

Flushing Volume: 6/4.1L (factory setting)

Working Pressure: 0.02MPa-0.8 Mpa

Temperature Range: 2 °C -45 °C

Cistern Material: HDPE



G3008 Concealed Cistern

For front mechanic actuation

For dry wall or solid wall installation

Flushing Volume: 6/4.1L (factory setting)

Working Pressure: 0.02MPa-0.8 Mpa

Temperature Range: 2 °C -45 °C

Cistern Material: PP



V series Smart Bidet Seat



Product **V2300**
 Dimension **520*365*150mm**
 Closing **Auto opening**
 Waterproof **IPX4**
 Heating Mode **Storage heating**
 Power Supply **220V / 50HZ**



Product **V3200**
 Dimension **517*403*112mm**
 Closing **Quiet Soft Close**
 Waterproof **IPX4**
 Heating Mode **Instant heating**
 Power Supply **220V / 50HZ**

Smart Bidet Seat series


Ultra-Slim luxury bidet seats
 Tailored designs for every bathroom style
 Optional remote control: VC300



For V2300



For V3200





Faucets & Sensor Taps series

Effortless elegance
Precision sensing at your fingertips



Faucets



Model **AU50A21**
Dimension 189x149x50mm
Material Brass Chrome



Model **AU500C1**
Dimension 332x185x45mm
Material Rose gold


Sensor Taps



Model **D5002**
Dimension 160x127x56,3mm
Material Brass Chrome
AC 220V-50 HZ
DC 6V
(Batteries are not included)



Model **D503002**
Dimension 182x145x50mm
Material Kirsite
AC 220V-50 HZ
DC 6V
(Batteries are not included)




Model **D50003**
Dimension 146x152x150mm
Material Brass Chrome
AC 220V-50 HZ
DC 6V
(Batteries are not included)



Model **D500033**
Dimension 176x168x48mm
Material PVD Gold
AC 220V-50 HZ
DC 6V
(Batteries are not included)



Model **D500032**
Dimension 174x163x50mm
Material Brass Chrome
AC 220V-50 HZ
DC 6V
(Batteries are not included)



Model **D500035**
Dimension 175x136x57mm
Material Material : Brass Chrome
AC AC: 220V-50 HZ
DC DC: 6V
(Batteries are not included)



47

Urinal Sensor & Water Closet Sensor series

Reliable, easy-to-install urinal and WC sensors
Elevating comfort and hygiene in every bathroom



48

Water Closet Sensor



Model **D6000**
 Dimension 160*160mm
 Power AC
 AC/DC Power Supply AC100V-240V, 50/60Hz & 4 * AA alkaline batteries



Model **D6003**
 Dimension ϕ 180mm
 Power AC
 AC/DC Power Supply AC100V-240V, 50/60Hz & 4 * AA alkaline batteries



Model **D600031**
 Dimension 160*160mm
 Power AC
 AC/DC Power Supply AC100V-240V, 50/60Hz & 4 * AA alkaline batteries

Urinal Sensor



Model **D31021**
 Dimension ϕ 50mm
 Power DC
 AC/DC Power Supply DC 6V (4 * AA alkaline batteries)
 AC100V-240V, 50/60Hz
 AC100V-240V, 50/60Hz & 4 * AA alkaline batteries



Model **D32001**
 Dimension ϕ 160mm
 Power AC
 AC/DC Power Supply AC100V-240V, 50/60Hz
 AC100V-240V, 50/60Hz & 4 * AA alkaline batteries



Model **D300031**
 Dimension 130*130mm
 Power AC
 AC/DC Power Supply AC100V-240V, 50/60Hz
 AC100V-240V, 50/60Hz & 4 * AA alkaline batteries



Model **D3200**
 Dimension 128*128mm
 Power AC
 AC/DC power supply AC100V-240V, 50/60Hz
 AC100V-240V, 50/60Hz & 4 * AA alkaline batteries



Concealed Shower

51

Concealed Shower series

Space-saving shower sets
Experience convenience, cleanliness, and ultimate relaxation



52


Concealed Shower



T3002-G1



T3003-H1




T3004-C1



T3005-C1



T3063-G



T3020-H



T3021-C



T3025-C



55

Elderly Friendly Bathroom series

Accessible design
Enhancing convenience and care for your loved ones



56

Elderly Friendly Bathroom



Model FZ3010+AQ41010

Height Adjustable Basin

Installation

External installation
 Applicable for wall-hung basin
 Fit for solid wall or non-slurry wall

Features

Thickness 126mm
 Lifting Range 0-200mm
 Basin Height 800-1000mm
 Load Capacity 150KG
 Color White



Model FZ3000+AQ41010

Height Adjustable Basin

Installation

In-wall installation
 Applicable for wall-hung basin
 Fit for solid wall or non-slurry wall

Features

Thickness 178-198mm
 Lifting Range 0-200mm
 Basin Height 800-1000mm
 Load Capacity 150KG
 Color Black



Model FZ2000+V7216

Height Adjustable Basin

Installation

Front actuator
 In-wall installation
 Applicable for wall-hung toilet
 Fit for solid wall or non-slurry wall

Features

Thickness 188-208mm
 Actuator Dimension 245X165mm
 Lifting Range 0-200mm
 Toilet Height 400-600mm
 Load Capacity 200KG
 Color Black